	Application No.	Applicant(s)
Notice of Allowability	10/524,088	ITO, TSUYOSHI
	Examiner	Art Unit
	Pascal M. Bui-Pho	2878
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this applied or other appropriate communication IGHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. X This communication is responsive to <u>Amendements filed 1</u>	8 July 2006 and 31 July 2006.	
2. X The allowed claim(s) is/are 1 and 21-27.		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority ur</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have</li> <li>2. Certified copies of the priority documents have</li> <li>3. Copies of the certified copies of the priority documents have</li> <li>International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>	e been received. e been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give</li> </ol>		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) including changes required by the Notice of Draftspers	son's Patent Drawing Review ( PTO-	948) attached
1) 🗌 hereto or 2) 📗 to Paper No./Mail Date		
(b)  including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t		
<ol> <li>DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT</li> </ol>		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	E  Netice of Informal D	Istant Application
Notice of References Cited (P10-692)     Notice of Draftperson's Patent Drawing Review (PT0-948)	<ol> <li>5. ☐ Notice of Informal P</li> <li>6. ☒ Interview Summary</li> </ol>	• •
, , ,	Paper No./Mail Date	te <u>20061002</u> .
Information Disclosure Statements (PTO/SB/08),     Paper No./Mail Date	7. 🛛 Examiner's Amendr	menvComment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme	Georgia Fart Georgia Georgia Georgia Georgia Georgia Georgia Georgia Fart Georgia Fart Georgia Georgia Ge

## **DETAILED ACTION**

This Office action is responsive to communications filed on 18 July 2006 and 31 July 2006.

### **Priority**

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

# Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR
 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

With regards to claim 28, the claim has been cancelled.

Authorization for this examiner's amendment was given in a telephone interview with Ian Volek, on behalf of Douglas Holtz, on 02 October 2006.

### Allowable Subject Matter

- 3. Claims 1 and 21-27 are allowed over prior arts.
- 4. The following is an examiner's statement of reasons for allowance:

The prior arts of record fail to anticipate and/or render obvious, either solely or in combination, a radiographic image input apparatus comprising, among other features, a selecting section which selects from a storage section a correction value corresponding to an extracted size of a recording member (Claim 1).

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:

- I) Tsuchiya (US 5,760,416) discloses an apparatus for reading a radiographic image on a stimulable phosphor sheet, including a scanner having a rotatable polygon mirror and a correcting circuit.
- II) Horikawa et al. (US 4,498,006) discloses an image readout system in which a stimulable phosphor sheet carrying a radiation image stored thereon is exposed to stimulating rays which causes it to emit light in the pattern of the read of the stored image.
- III) Hejazi (US 5,376,806) discloses a storage phosphor imaging system including a source of stimulating light, a scanner, and a photodetector for converting the emitted light x-ray image into an x-ray image signal.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pascal M. Bui-Pho whose telephone number is (571) 272-2714. The examiner can normally be reached on Monday through Friday: 8:30 a.m. - 5:00 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Georgia Epps can be reached on (571) 272-2328. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/524,088 Page 4

Art Unit: 2878

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Examiner, Art Unit 2878

02 October 2006

Technology Center 2800